



ERGOTRON®

Neo-Flex® WideView WorkSpace Neo-Flex® Dual WideView WorkSpace

Highlights

- Flexible, open-architecture design is scalable for future videoconferencing or computer equipment. Features a fleet of accessories to meet individualized computing needs
- Easily moves through small doorways and over thresholds
- Use inside an office cubicle or small meeting space; compact design offers personalized video or computing
- Work sitting or standing with ergonomic 20" (51 cm) height-adjustment range
- Patented Constant Force lift technology provides fluid, one-touch adjustment
- Safe and neat routing of cables through the expansive cable management storage area
- Use a laptop or CPU for computing flexibility




Compact and agile mobile display hub for two screens or one larger screen

Widen your view — and move it too! Configure this compact, low-cost, height-adjustable cart to your needs: Its flexible open architecture supports dual displays or a mid-size display, making it perfect for web conferencing or any other image-intensive mobile computing application. Select the dual-screen or the mid-sized screen cart and add the optional camera shelf as needed. The Neo-Flex WideView WorkSpace is designed for telemedicine, radiology, clinical PACS access, labs, manufacturing floors, distribution centers, distant-learning facilities, corporate settings and more.

Features include 20" (51 cm) height adjustment (work sitting or standing), compact footprint and a fleet of accessories. The small platform creates engaging environments for personalized 1-to-1 video viewing or small-group learning sessions. Integrated Constant Force technology improves viewing comfort and enhances productivity with effortless height adjustment.




- Durable, easy-to-clean exterior composed of aluminum, high-grade plastic and powder coated painted steel
- Four dual casters—lockable front casters
- Worksurface: 16.5" W x 14" D (42 x 36 cm)
- Wheel-to-wheel base dimensions: 17" x 20.5" (43 x 52 cm)
- Add the WideView Camera Shelf Kit (97-500-055) to place adjustable camera shelf above the display (order separately)
- Warranty: three (3) years



Product Name	Neo-Flex WideView WorkSpace
Part Number	24-189-055 (two-tone grey)
(color)	Neo-Flex Dual WideView WorkSpace
	24-194-055 (two-tone grey)
Includes	24-189-055: Cart, LCD pivot, integrated worksurface/keyboard tray with left/right mouse tray, scanner holder bracket, mouse holder, rear handle, cable storage box, CPU holder, four dual casters (two locking) 24-194-055: Cart, crossbar with two (2) LCD mounts, integrated worksurface/keyboard tray with left/right mouse tray, scanner holder bracket, mouse holder, rear handle, cable storage box, CPU holder, four dual casters (two locking)
Shipping Dimensions	45.5" H x 19.75" W x 24" D (1156 x 502 x 610 mm)
Shipping Weight	24-189-055: 82 lbs (37 kg) 24-194-055: 88 lbs (40 kg)
Compatible Display(s)	See www.ergotron.com for details

Many configuration options!



Displays can be mounted in 5 different height positions 6
See dimensional PDF for details



CPUs attach safely to rear of cart with CPU Holder.
Adjusts from 12"H x 3"D to 18"H x 8.5"D (30 x 8 cm to 46 x 22 cm)

Safe and neat routing of cables through the expansive cable management storage areas 7



24-189-055 LCD Size	LCD Weight*	Lift	Tilt	Pan	Rotation**	VESA†
≤ 40"	16-30 lbs 7,3-13,6 kg	20" 51 cm	30°	—	90° P/L	MIS-D/E/F

* Maximum load on height-adjustment assembly = 40 lbs (18 kg). Includes weight of display in addition to contents on Worksurface and in Cable Storage Box. LCD pivot capacity = 16-30 lbs (7,3-13,6 kg). Display weight capacity is diminished by 5 lbs (2,3 kg) plus weight of camera with Camera Shelf Kit.

** Portrait orientation of display may not be compatible with Camera Shelf. Shelf maximum weight capacity 4 lbs (1,8 kg)

† VESA FDMI, MIS-D, 75/100 (hole patterns = 100 x 100 mm and 75 x 75 mm); VESA FDMI, MIS-E (hole pattern = 200 x 100 mm); VESA FDMI, MIS-F (hole pattern = 200 x 200 mm). Optional VESA Bracket Adaptor Kit (97-474) can be ordered separately for display interface that uses a VESA FDMI, MIS-F 400 x 200 mm hole pattern

24-194-055 LCD Size	LCD Weight*	Lift	Tilt**	Pan	Rotation†	VESA
two ≤ 22"	12-28 lbs 5,4-12,7 kg	20" 51 cm	—	—	90° P/L	MIS-D

* Maximum load of height-adjustment assembly = 40 lbs (18 kg). Includes weight of displays and contents on Worksurface and in Cable Storage Box. LCD capacity = 6-14 lbs (2,7-6,4 kg) per mount, 12-28 lbs (5,4-12,7 kg) for both displays. Display weight capacity is diminished by 5 lbs (2,3 kg) plus weight of camera with Camera Shelf Kit.

** Install dual displays at 3.5° or 8.5° upward angle for optimized viewing conditions. Dual displays are not tilt adjustable

† Portrait orientation of display may not be compatible with Camera Shelf. Shelf maximum weight capacity 4 lbs (1,8 kg)

© 2016 Ergotron, Inc. rev. 09/13/2016-EA Literature made in U.S.A.
Content is subject to change without notification
Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.

Americas Sales and Corporate Headquarters	EMEA Sales	APAC Sales	Worldwide OEM Sales
St. Paul, MN USA (800) 888-8458 +1-651-681-7600 www.ergotron.com sales@ergotron.com	Amersfoort, The Netherlands +31 33 45 45 600 www.ergotron.com info.eu@ergotron.com	Tokyo, Japan www.ergotron.com apaccustomerservice@ergotron.com	www.ergotron.com info.oem@ergotron.com

ERGOTRON®